JOURNAL OF MOLECULAR STRUCTURE, VOLUME 176(1988)

AUTHOR INDEX

Amirand, C. 181
Ando, I. 279

Bala, S.S. 203
Barski, A. 137
Beagley, B. 81
Becher, G. 33
Berthault, P. 285
Blinc, R. 331
Bonnet, J.-P. 285
Brinn, I. M. 223

Carballeira, L. 89
Castera, P. 295
Chapuis, G. 331
Coulombeau, C. 213

Domenicano, A. 71
Durig, J. R. 123

Faucher, J.-P. 295
Weiss, A. 323
Faust, S. A. 123
Friedman, P. 61

Galy, J. 313
Garcia, M. V. 253
Ghosh, P. N. 203
Godbey, S. E. 123
Graffeuil, M. 295
Gundersen, G. 33, 159
Gutierrez-Zorrilla, J. M. 313

Hargittai, I. 61, 71
Henning, J. 149

Ino, T. 1

Jobic, H. 213

Kind, R. 331
Klaeboe, P. 107
Kodera, S. 1
Kolonits, M. 71
Komoto, T. 279
Konschin, H. 245
Kosa, K. 107
Krishnan, V. G. 323
Kurosu, H. 279
Kuske, P. 149

Labarre, J.-F. 285, 295, 337
Larsson, K. 303
Lutz, H. D. 149

Maillard, D. 181
Matsuura, H. 253
Mido, Y. 253
Midtgaard, T. 159
Miki, H. 1
Morcillo, J. 253
Mosquera, R. A. 89

Nielsen, C. J. 33, 107, 159

Panja, P. K. 203
Perly, B. 285
Person, W. B. 137
Portalone, G. 71
Priebe, H. 107
Pritchard, R. G. 81

Raso, M. A. 253
Rios, M. A. 89
Roman, P. 313
Rostkowska, H. 137

Savariault, J. M. 313
Schei, S. H. 107
Schenk, K. J. 331
Schultz, G. 61, 71
Seliger, J. 331
Shiomi, H. 253
Slanina, Z. 239
Szczepaniak, K. 137
Szczesniak, M. 137

Tegenfeldt, J. 303
Thomassen, H. G. 33
Titiloye, J. O. 81
Tylli, H. 245

Vidaud, L. 337

JOURNAL OF MOLECULAR STRUCTURE, VOLUME 176(1988)

SUBJECT INDEX

Aminic compounds,
conformational analysis of polyfunctional aminic compounds by molecular mechanics. Part I. Methanediamines and 1,3-diazacyclohexanes 89
3-Azidopropene (allylazide),
the vibrational spectra, molecular structure and conformation of organic azides. Part VIII. 3-Azidopropene (allylazide) 107

$BeSO_4 \cdot 4H_2O$,
an NMR study of the molecular mobility in $BeSO_4 \cdot 4H_2O$ 303
Bromomethylcyclopropane,
far infrared and low frequency Raman spectra and conformational stability of gaseous chloromethylcyclopropane and bromomethylcyclopropane 123

Chloromethylcyclopropane,
far infrared and low frequency Raman spectra and conformational stability of gaseous chloromethylcyclopropane and bromomethylcyclopropane 123
$(CO_2)_2^-(g)$,
$(CO_2)_2^-(g)$: A dramatic temperature interchange of the relative stability of its two structural forms 239
Cylcophosphazenes,
an answer to the SPIRO versus ANSA dilemma in cyclophosphazenes. Part X. The serendipitous chemistry of the genuine cyclophosphazenic monoANSA derivative $N_3P_3Cl_4$ [HN-$(CH_2)_2$-O-$(CH_2)_2$-NH] 295
spermidine- and spermine-linked cyclophosphazenes: new forced (*bi-dangling* and *spiro-bidangling*) molecular configurations 337
Cyclophosphazenic,
202 MHz ^{31}P NMR performances. Part VI. The case of the usymmetrical cyclophosphazenic BINO structure, $N_3P_3Cl_5$[HN-$(CH_2)_3$-N(CH_3)]$Cl_5P_3N_3$ 285

Deuterated analogues,
vibrational spectra, normal vibrations and rotational isomerism of ethyl acetate and three deuterated analogues 253
Diatomic molecules,
vibration–rotation interaction in intensity and structural parameters of gas electron diffraction for diatomic molecules 1
1,3-Diazacyclohexanes,
conformational analysis of polyfunctional aminic compounds by molecular mechanics. Part I. Methanediamines and 1,3-diazacyclohexanes 89
p-Dibromobenzene,
molecular structure and ring disortions of *p*-dibromobenzene as determined by electron diffraction 71

Ethylene oxide,
neutron inelastic spectroscopy of ethylene oxide and partial reassignment of the vibrational frequencies 213
Ethyl acetate,
vibrational spectra, normal vibrations and rotational isomerism of ethyl acetate and three deuterated analogues 253

Fundamental vibrational frequency correlation,
fundamental vibrational frequency correlation. Part III. C_{2v}–C_{2h} out-of-plane trends 223

Guaiacol,
the infrared spectrum of matrix isolated guaiacol: self-association and complexation with nitrogen 245

Hexabromocadmate (II)-ion, $[CdBr_6]^{4-}$,
$^{79,81}Br$ NQR nuclear quadrupole resonance study of the hexabromocadmate(II)-ion, $[CdBr_6]^{4-}$ 323
Hexachloro-1,3-butadiene,
vibrational spectra of *trans,trans*-1,2,3,4-tetrachloro-1,3-butadiene; and the molecular structure of *trans,trans*-1,2,3,4-tetrachloro-

1,3-butadiene and of hexachloro-1,3-butadiene (a reinvestigation) determined by gas-phase electron diffraction 33
Hydrocarbon chain separation,
evidence for a reconstructive phase transition involving hydrocarbon chain separation in the layer structure $C_{10}H_{21}NH_3Cl$ 331
Hydroxide ions,
lattice vibration spectra. Part XLVI. Raman single crystal measurements on isostructural $Sr(OH)_2 \cdot H_2O$ and $Ba(OH)_2 \cdot H_2O$ o.-rh.: structure and bonding of hydroxide ions and water molecules 149

Isothiazole,
the molecular structure of isothiazole from electron diffraction and ab initio calculations 61

Methanediamines,
conformational analysis of polyfunctional aminic compounds by molecular mechanics. Part I. Methanediamines and 1,3-diazacyclohexanes 89
N-Methyl thiourea,
vibrational spectra of thiourea and *N*-methyl thiourea at low temperature: effect of hydrogen bonding and methylation 203

Nitrogen,
the infrared spectrum of matrix isolated guaiacol: self-association and complexation with nitrogen 245
Nucleic acids,
the tautomeric equilibria of thioanalogues of nucleic acids: spectroscopic studies of 2-thiouracils in the vapour phase and in low temperature matrices 137

Organic azides,
the vibrational spectra, molecular structure and conformation of organic azides. Part VIII. 3-Azidopropene (allylazide) 107

Polyoxymethylene,
^{13}C NMR chemical shift and crystal structure of polyoxymethylene in the solid state 279
Propargylthiocyanate,
vibrational spectra, molecular structure and conformation of gaseous 3-thiocyanatopropyne (propargylthiocyanate) 159

Quinolinium trichloroquinolinecuprate(II), $(C_9H_7NH)[CuCl_3(C_9H_7N)]$,
preparation and crystal and molecular structure of quinolinium trichloroquinolinecuprate(II), $(C_9H_7NH)[CuCl_3(C_9H_7N)]$ 313

Spermidine-and spermine-linked,
spermidine- and spermine-linked cyclophosphazenes: new forced (*bi-dangling* and *spiro-bidangling*) molecular configurations 337

trans,trans-1,2,3,4-Tetrachloro-1,3-butadiene,
vibrational spectra of *trans,trans*-1,2,3,4-tetrachloro-1,3-butadiene; and the molecular structure of *trans,trans*-1,2,3,4-tetrachloro-1,3-butadiene and of hexachloro-1,3-butadiene (a reinvestigation) determined by gas-phase electron diffraction 33
Tetrakis(trimethylsily)methane,
the molecular structure of tetrakis(trimethylsilyl) methane studied by gas-phase electron diffraction and molecular mechanics 81
3-Thiocyanatopropyne,
vibrational spectra, molecular structure and conformation of gaseous 3-thiocyanatopropyne (propargylthiocyanate) 159
2-Thiouracils,
the tautomeric equilibria of thioanalogues of nucleic acids: spectroscopic studies of 2-thiouracils in the vapour phase and in low temperature matrices 137
Thiourea,
vibrational spectra of thiourea and *N*-methyl thiourea at low temperature: effect of hydrogen bonding and methylation 203

Vibration–rotation interaction,
vibration–rotation interaction in intensity and structural parameters of gas electron diffraction for diatomic molecules 1
Water,
lattice vibration spectra. Part XLVI. Raman single crystal measurements on isostructural $Sr(OH)_2 \cdot H_2O$ and $Ba(OH)_2 \cdot H_2O$ o.-rh.: structure and bonding of hydroxide ions and water molecules 149
Water–hydracid complexes,
spectrum and structure of water-rich water–hydracid complexes from matrix isolation spectroscopy: evidence for proton transfer 181

CONTENTS

Vibration–rotation interaction in intensity and structural parameters of gas electron diffraction for diatomic molecules
H. Miki, S. Kodera and T. Ino (Osaka, Japan) 1

Vibrational spectra of *trans,trans*-1,2,3,4-tetrachloro-1,3-butadiene; and the molecular structure of *trans,trans*-1,2,3,4-tetrachloro-1,3-butadiene and of hexachloro-1,3-butadiene (a reinvestigation) determined by gas-phase electron diffraction
G. Gundersen, C. J. Nielsen, H. G. Thomassen and G. Becher (Oslo, Norway) 33

The molecular structure of isothiazole from electron diffraction and ab initio calculations
G. Schultz, I. Hargittai (Budapest, Hungary) and P. Friedman (Brooklyn, NY, U.S.A.)..... 61

Molecular structure and ring distortions of *p*-dibromobenzene as determined by electron diffraction
G. Schultz, M. Kolonits, I. Hargittai (Budapest, Hungary), G. Portalone (Rome, Italy) and A. Domenicano (L'Aquila, Italy) 71

The molecular structure of tetrakis(trimethylsilyl)methane studied by gas-phase electron diffraction and molecular mechanics
B. Beagley, R. G. Pritchard and J. O. Titiloye (Manchester, Gt. Britain) 81

Conformational analysis of polyfunctional aminic compounds by molecular mechanics. Part I. Methanediamines and 1,3-diazacyclohexanes
L. Carballeira, R. A. Mosquera and M. A. Rios (Santiago de Compostela, Spain) 89

The vibrational spectra, molecular structure and conformation of organic azides. Part VIII. 4-Azidopropene (allylazide)
P. Klaeboe, K. Kosa, C. J. Nielsen, H. Priebe (Oslo, Norway) and S. H. Schei (Dragvoll, Norway)..... 107

Far infrared and low frequency Raman spectra and conformational stability of gaseous chloromethylcyclopropane and bromomethylcyclopropane
J. R. Durig, S. E. Godbey and S. A. Faust (Columbia, SC, U.S.A.)..... 123

The tautomeric equilibria of thioanalogues of nucleic acids: spectroscopic studies of 2-thiouracils in the vapour phase and in low temperature matrices
H. Rostkowska, A. Barski (Warsaw, Poland), K. Szczepaniak, M. Szczesniak and W. B. Person (Gainesville, FL, U.S.A.) 137

Lattice vibration spectra. Part XLVI. Raman single crystal measurements on isostructural $Sr(OH)_2 \cdot H_2O$ and $Ba(OH)_2 \cdot H_2O$ o.–rh.: structure and bonding of hydroxide ions and water molecules
H. D. Lutz, P. Kuske and J. Henning (Siegen, F.R.G.) 149

Vibrational spectra, molecular structure and conformation of gaseous 3-thiocyanatopropyne (propargylthiocyanate)
T. Midtgaard, G. Gundersen and C. J. Nielsen (Oslo, Norway)..... 159

Spectrum and structure of water-rich water–hydracid complexes from matrix isolation spectroscopy: evidence for proton transfer
C. Amirand and D. Maillard (Paris, France) 181

Vibrational spectra of thiourea and *N*-methyl thiourea at low temperature: effect of hydrogen bonding and methylation
P. K. Panja, S.S. Bala and P. N. Ghosh (Calcutta, India) 203

Neutron inelastic spectroscopy of ethylene oxide and partial reassignment of the vibrational frequencies
C. Coulombeau (Saint Martin d'Hères, France) and H. Jobic (Villeurbanne, France)..... 213

Fundamental vibrational frequency correlation. Part III. C_{2v}–C_{2h} out-of-plane trends
I. M. Brinn (Rio de Janeiro, Brazil)..... 223

$(CO_2)_2^-$(g): A dramatic temperature interchange of the relative stability of its two structural forms
Z. Slanina (Prague, Czechoslovakia) 239
The infrared spectrum of matrix isolated guaiacol: self-association and complexation with nitrogen
H. Tylli and H. Konschin (Helsinki, Finland) 245
Vibrational spectra, normal vibrations and rotational isomerism of ethyl acetate and three deuterated analogues
Y. Mido, H. Shiomi (Kobe, Japan), H. Matsuura (Hiroshima, Japan), M. A. Raso, M. V. García and J. Morcillo (Madrid, Spain) 253
^{13}C NMR chemical shift and crystal structure of polyoxymethylene in the solid state
H. Kurosu, T. Komoto and I. Ando (Tokyo, Japan) 279
202 MHz ^{31}P NMR performances. Part VI. The case of the unsymmetrical cyclophosphazenic BINO structure, $N_3P_3Cl_5[HN–(CH_2)_3–N(CH_3)]Cl_5P_3N_3$
B. Perly, P. Berthault (Gif sur Yvette, France), J.-P. Bonnet and J.-F. Labarre (Toulouse, France) 285
An answer to the SPIRO versus ANSA dilemma in cyclophosphazenes. Part X. The serendipitous chemistry of the genuine cyclophosphazenic monoANSA derivative $N_3P_3Cl_4[HN–(CH_2)_2–O–(CH_2)_2–NH]$
P. Castera, J.-P. Faucher, M. Graffeuil and J.-F. Labarre (Toulouse, France) 295
An NMR study of the molecular mobility in $BeSO_4 \cdot 4H_2O$
K. Larsson and J. Tegenfeldt (Uppsala, Sweden) 303
Préparation et structure cristalline et moléculaire du trichloroquinoléinecuprate(II) de quinoléinium, $(C_9H_7NH)[CuCl_3(C_9H_7N)]$
J. M. Savariault, J. Galy (Toulouse, France), J. M. Gutierrez-Zorrilla et P. Roman (Bilbao, Espagne) 313
$^{79,81}Br$ NQR nuclear quadrupole resonance study of the hexabromocadmate (II)-ion, $[CdBr_6]^{4-}$
V. G. Krishnan and A. Weiss (Darmstadt, F.R.G.) 323

Short Communications
Evidence for a reconstructive phase transition involving hydrocarbon chain separation in the layer structure $C_{10}H_{21}NH_3Cl$
H. J. Schenk, G. Chapuis (Lausanne, Switzerland), R. Kind (Zurich, Switzerland), R. Blinc and J. Seliger (Ljubljana, Yugoslavia) 331
Spermidine- and spermine-linked cyclophosphazenes: new forced (*bi-dangling* and *spiro-bidangling*) molecular configurations
L. Vidaud and J.-F. Labarre (Toulouse, France) 337

Book Reviews 345

Author Index 353

Subject Index 355